
IIIII TERRACO



TERRACOAT TEXTURED COATINGS

///// TERRACO



TERRACOAT BT Application: TX 168-3




TERRACOAT Super Fine Application: Colour: TX 106-3



TERRACOAT Standard Application: Colour: TX 184-5



TERRACOAT Granule Filled 1.5mm Application:



TERRACOAT Suede Application: Colour: TX 144-5











Application:




TERRACOAT Fine Application: Colour: TX 175-4




TERRACOAT Granule 1.0mm





TERRACOAT Excel 1.5mm (Vertical pattern) Application: Also available in: 1.0, 2.0mm THERACO MIN Colour: TX 141-5



Supertex Basecoat & Terrashine Gloss Application: Colour: TX 149-3

///// TERRACO COLOURS TX 156-1 TX 163-1 TX 167-1 TX 175-3 TX 106-4 TX 180-5 TX 179-3 TX 183-3 TX 179-5 TX 186-5 TX 163-2 TX 091-2 TX 173-4 TX 090-5 TX 168-4 TX 154-2 TX 077-4 TX 167-3 TX 171-4 TX 172-5





TERRACOAT TEXTURED COATINGS



While the Terracoat Textured Coatings range is traditionally used to decorate exterior facades, certain Terracoat Textured Coatings are ideally suited for use with Terraco EIFS (Exterior Insulation Finishing Systems - also referred to as EWI or ETICS in the industry), and have been appropriately highlighted in this catalogue. EIFS is an energy efficient thermal wrapping applied to the exterior surfaces of a building. This thermal wrapping is then finished with a long-life, decorative and protective Terracoat Textured Coating.



Certifications

- FOTA (Furnnean Technical Approval) FTAG one
- · BBA Agrément Certificate (UK)
- · Irish Agrément Board Certificate
- . FED Compliant (US ARMY)
- · Russian National Standard: Technical Certificate
- Romania National Institute (INCERC)
- Turkish Standard TSE U.A.E. / UAO CIvil Defence
- · P.R. China Certified System













Reference Projects









///// TERRACO



Terracoat Textured Coatings is a range of premium quality, ready-mixed textured coatings. These decorative wall coatings are available in 3 versions - acrylic based, silicone based and elastomeric based. Please consult your Terraco representative for advice on selecting the best product to meet your local performance requirements.

Formulated to last - they provide a unique combination of the highest quality architectural finishes with outstanding long term economy and durability. Characterised by ease of application and low material consumption - Terracoat Textured Coatings offer outstanding versatility and can be applied on a wide variety of substrates when suitably primed including concrete, sand / cement render, gypsum dry wall, plywood, chipboard, anti-rust primed steel and more.

Terracoat Textured Coatings are developed to withstand extreme climatic conditions and have been successfully applied in desert, tropical and arctic climates for over 35 years. Terracoat Coatings can be expected to last a minimum of 10 years and are backed by Terraco's international quality guarantee.

Terracoat Textured Coatings come in a wide range of textures and attractive colours, some of which are displayed in this catalogue. Using this catalogue, first select your texture and then select your colour of choice. Thereafter, contact your Terraco representative for an architectural sample for your approval.













www.terraco.com

SWEDEN + UNITED KINGDOM + IRELAND + RUSSIA + TURKEY + ALGERIA + SOUTH AFRICA + JORDAN + UAE + THAILAND + METNAM + CHINA + SOUTH KOREA

scholacid Data Sheets and Material Safely Data Sheets are available from your Terraco representative or on wave terraco com. Although every precision has been taken to ensure the country of the observant and features represented herein they of shook be considered information. Products containing natural aggregations may be acceptable to color variation and we excommend that you order sufficient quantity for the complete project at one time. Terraco does not warrant the accuracy of the information provided herein and all information is subject change without notice.